Zertifikat *Certificate*

TÜVRheinland®

Zertifikat Nr. *Certificate No.*
S 60158556

Blatt *Sheet*
0001

Ihr Zeichen *Client Reference*	Unser Zeichen *Our Reference*	Längstens gültig bis *Latest expiration date*
	0010--DE21I9AM 001	03.10.2026 *(day/mo/yr)*

Genehmigungsinhaber *License Holder*
LD Seating s.r.o.
Drevarska 2461/19A
680 01 Boskovice
Czech Republic

Fertigungsstätte *Manufacturing Plant*
LD Seating s.r.o.
Drevarska 2461/19A
680 01 Boskovice
Czech Republic

Prüfzeichen *Test Mark*

TÜVRheinland® ZERTIFIZIERT
GS geprüfte Sicherheit
www.tuv.com
ID 1111244018

Geprüft nach *Tested acc. to*
DIN EN 1335-1/08.02
DIN EN 1335-2/04.19

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Bürostuhl

Büroarbeitsstuhl Modellreihe "Look"

Bestehend aus den Modellen: "Look 270-AT", "Look 270-SYS", "Look 271-AT", "Look 271-SYS", "Look 370-AT", "Look 370-SYS" "Look 371-AT" und "Look 371-SYS".

Nähere Beschreibung siehe Anlage.

Alle sicherheitsrelevanten Anforderungen der DIN EN 1335-1, 2 sind erfüllt.

ANLAGE (Appendix): 1; Seite/page 1 - 2

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Produkt und Fertigungsstätte erfüllen § 20 des Produktsicherheitsgesetzes.
This certificate is based on our Testing and Certification Regulation.
The provisions of §20 Product Safety Act are complied with.

Zertifizierungsstelle

TÜV Rheinland LGA Products GmbH
TÜVRheinland®
Zertifizierungsstelle

C. Prosch

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

Ausstellungsdatum *Date of Issue* : 04.10.2021 **(day/mo/yr)**

10/020 h 04.08 ® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Anlage / Appendix 1

Zertifikat / *Certificate*	**Blatt** / *Page*
S 60158556	0001

TÜVRheinland®

Ihr Zeichen / *Client Reference*	**Unser Zeichen** / *Our Reference*	**Ausstellungsdatum** / *Date of issue*
	0010 -- DE21I9AM 001	04.10.2021

Optionen / options:

Armlehnen / armrests:

BR-207	(black height-adjustable armrests black plastic elbow pads)
BR-207-WH	(black and white height adjustable armrests, black plastic elbow pads)
BR-271-WH	(black and white height, adjustable armrests, black PUR elbow pad)
BR-209	(black height-adjustable armrests, black PUR elbow pad)
BR-209-N6	(black height-adjustable armrests, black PUR elbow pad, polished aluminium seat connector)
BR-209-WH	(black and white height adjustable armrests, black PUR elbow pad)
BR-210	(black height, width and depth adjustable armrests, black PUR elbow pad)
BR-210-N6	(black height, width and depth adj. armrests, black PUR elbow pad, polished alu seat connector)
BR-211	(black height, width and depth adjustable armrests, black PUR 10° rotatable armrests)
BR-211-WH	(black and white height, width and depth adjustable armrests, black PUR 10° rotatable armrests)

Fußkreuz / base:

F40-N1	(black 5 star aluminium base)
F40-N0	(white 5-star aluminium base)
F40-N6	(polished 5-star aluminium base)

Rollen / Castors):

RM55	(black rubber castors for hard • floors, Ø 55 mm)
RM60	(black rubber castors for hard floors, Ø 60 mm)
RU60	(black castors for carpets, Ø 60 mm)
RM60-N0	(white rubber castors for hard floors, Ø 60 mm)
RM-DE	(transparent rubber castors for hard floors, Ø 65 mm, brake adjustable, black or grey)

Others:

HO	(upholstered headrest with angle and height adjustment, for rotating task chairs plastic colour according to the chair model)
P	(depth-adjustable seat)
PN	(depth-adjustable seat with an independent seat angle function, for models with SYS synchronous mechanism)

TÜVRheinland LGA Products GmbH TÜVRheinland® Zertifizierungsstelle

C. Prosch

10/020 h 04.08 ® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Anlage / Appendix 1

Zertifikat / *Certificate*	**Blatt** / *Page*
S 60158556	0001

Ihr Zeichen / *Client Reference*	**Unser Zeichen** / *Our Reference*	**Ausstellungsdatum** / *Date of issue*
	0010 -- DE21I9AM 001	04.10.2021

Modellbeschreibung:

Sitzhöhe verstellbar mit Gasfeder von KGS, Bezeichnung der Gasfeder „KGL EN16955 Klasse 3".
Selbsteinstellende Synchronmechanik „AT" oder Synchronmechanik „SYS", Vorspannung der Federkraft über Handkurbel einstellbar. Optional mit Schiebesitz und / oder neigbar.
Sitz gepolstert und mit Stoff überzogen.
Mit mittelhoher oder hoher Netz – oder Polsterrückenlehne optional mit Kopfstütze. Rückenlehnenrahmen aus Kunststoff.
Höhenverstellbare Lumbalstütze.
Armlehnen mit verschiedenen Funktionen. Armlehnenpads aus Kunststoff.
5 - Stern Fußkreuz aus Aluminium.
5 Lenkdoppelrollen Ø 55 mm, mit verschiedenen Funktionen.

Abmessungen (HxBxT) / Gewicht:
270-SYS, BR207, RM 55: 1320mm x 670mm x 530mm; 14,6 kg
270-AT, F40-N6, BR-209: 1115mm x 675mm x 550mm; 14,3 kg

TÜVRheinland LGA Products GmbH
TÜVRheinland
Zertifizierungsstelle

C. Prosch

10/020 h 04.08 ® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

TÜVRheinland®

Zertifikat Nr. *Certificate No.*
S 60158556

Blatt *Sheet*
0001

Ihr Zeichen *Client Reference*	Unser Zeichen *Our Reference*	Längstens gültig bis *Latest expiration date*
	0010--DE21I9AM 001	03.10.2026 *(day/mo/yr)*

Genehmigungsinhaber *License Holder*
LD Seating s.r.o.
Drevarska 2461/19A
680 01 Boskovice
Czech Republic

Fertigungsstätte *Manufacturing Plant*
LD Seating s.r.o.
Drevarska 2461/19A
680 01 Boskovice
Czech Republic

Prüfzeichen *Test Mark*

TÜVRheinland CERTIFIED
geprüfte Sicherheit
www.tuv.com
ID 1111244018

Geprüft nach *Tested acc. to*
DIN EN 1335-1/08.02
DIN EN 1335-2/04.19

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Bürostuhl

Model range Look

models: "Look 270-AT", "Look 270-SYS", "Look 271-AT" and "Look 271-SYS", "Look 370-AT", "Look 370-SYS", "Look 371-AT" and "Look 371-SYS".

Description see appendix.

All security-relevant requirements of the DIN EN 1335-1, 2 are fulfilled.

ANLAGE (Appendix): 1; Seite/page 1 - 2

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Die Anforderungen nach § 20 des Produktsicherheitsgesetzes sind erfüllt.
This certificate is based on our Testing and Certification Regulation.
The provisions of §20 Product Safety Act are complied with.

Zertifizierungsstelle

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

Übersetzung/Translation

Ausstellungsdatum *Date of Issue* : 04.10.2021 **(day/mo/yr)**

C. Prosch

TÜV Rheinland LGA Products GmbH ® TÜVRheinland Zertifizierungsstelle

10/020 h 04.08 ® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Anlage / Appendix 1

Zertifikat / *Certificate*	**Blatt** / *Page*
S 60158556	0001

TÜVRheinland®

Ihr Zeichen / *Client Reference*	**Unser Zeichen** / *Our Reference*	**Ausstellungsdatum** / *Date of issue*
	0010 -- DE21I9AM 001	04.10.2021

Optionen / options:

Armlehnen / armrests:

BR-207	(black height-adjustable armrests black plastic elbow pads)
BR-207-WH	(black and white height adjustable armrests, black plastic elbow pads)
BR-271-WH	(black and white height, adjustable armrests, black PUR elbow pad)
BR-209	(black height-adjustable armrests, black PUR elbow pad)
BR-209-N6	(black height-adjustable armrests, black PUR elbow pad, polished aluminium seat connector)
BR-209-WH	(black and white height adjustable armrests, black PUR elbow pad)
BR-210	(black height, width and depth adjustable armrests, black PUR elbow pad)
BR-210-N6	(black height, width and depth adj. armrests, black PUR elbow pad, polished alu seat connector)
BR-211	(black height, width and depth adjustable armrests, black PUR 10° rotatable armrests)
BR-211-WH	(black and white height, width and depth adjustable armrests, black PUR 10° rotatable armrests)

Fußkreuz / base:

F40-N1	(black 5 star aluminium base)
F40-N0	(white 5-star aluminium base)
F40-N6	(polished 5-star aluminium base)

Rollen / Castors):

RM55	(black rubber castors for hard • floors, Ø 55 mm)
RM60	(black rubber castors for hard floors, Ø 60 mm)
RU60	(black castors for carpets, Ø 60 mm)
RM60-N0	(white rubber castors for hard floors, Ø 60 mm)
RM-DE	(transparent rubber castors for hard floors, Ø 65 mm, brake adjustable, black or grey)

Others:

HO	(upholstered headrest with angle and height adjustment, for rotating task chairs plastic colour according to the chair model)
P	(depth-adjustable seat)
PN	(depth-adjustable seat with an independent seat angle function, for models with SYS synchronous mechanism)

TÜVRheinland LGA Products GmbH TÜVRheinland® Zertifizierungsstelle

C. Prosch

Übersetzung/Translation

10/020 h 04.08 ® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Anlage / Appendix 1

Zertifikat / *Certificate*	**Blatt** / *Page*
S 60158556	0001

Ihr Zeichen / *Client Reference*	**Unser Zeichen** / *Our Reference*	**Ausstellungsdatum** / *Date of issue*
	0010 -- DE21I9AM 001	04.10.2021

Model description:

Seat height adjustable with gas spring from KGS, designation of the gas spring "KGL EN16955 Class 3".
Self-adjusting synchronous mechanism "AT" or synchronous mechanism "SYS", preload of the spring force can be adjusted using a hand wheel. Optional with sliding seat and / or tilting.
Upholstered seat and covered with fabric.
With medium-high or high mesh or upholstered backrest optional with headrest. Backrest frame made of plastic.
Height-adjustable lumbar support.
Armrests with different funktions. Armrest pads made of plastic.
5 - Star base made of aluminium.
5 swivel double rols Ø 55 mm with different functions.

Dimensions (HxWxD) / Weight:
270-SYS, BR207, RM55: 1320mm x 670mm x 530mm; 14.6 kg
270-AT, F40-N6, BR-209: 1115mm x 675mm x 550mm; 14.3 kg

TÜV Rheinland LGA Products GmbH
TÜVRheinland
Zertifizierungsstelle

C. Prosch

Übersetzung/Translation

10/020 h 04.08 ® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.